Chapter 3

Data Flow Processes Between Modern DCPDS and RESUMIX

Chapter Overview

Introduction

This chapter is written for personnelists familiar with Resumix. It explains the three processes where information flows between modern DCPDS and Resumix.

- 1. **Create Requisition** A requisition is created in Resumix from information in modern DCPDS; e.g., Position data in the RPA, KSAs from COREDOC, and other position data.
- 2. **Create Applicant** An action is initiated in Resumix to create an applicant in modern DCPDS when an outside candidate accepts a job offer.
- 3. **Refresh** Information in modern DCPDS is used to automatically and periodically update employee information in Resumix.



Note: For information beyond what is contained in this chapter on the Resumix application, please refer to the Resumix user manuals.

Chapter Contents

Торіс	Page
Chapter Overview	1
Create Requisition	3
What Position Data Flows to Resumix	3
Creation of the Requisition ID Number	5
Creating a Requisition	
What COREDOC Data Flows to Resumix	7
Creating a Requisition with COREDOC Data	8
Create Applicant	11
What Applicant Data Flows from Resumix	11
Creating an Applicant in Modern DCPDS	13
Refresh	14

Chapter Overview, Continued

Chapter Contents (continued)

Topic	Page
How Employee Data Flows to Resumix	14
What Employee Data Flows to Resumix	14

See Also

Module 3, Processing Request for Personnel Action Using the Modern DCPDS

Module 2, Position Management and Classification Using the Modern DCPDS

Chapter 4, COREDOC

Module 4, Staffing Using the Modern DCPDS Chapter 1, Building an Applicant

RESUMIX User Manuals

Create Requisition

Purpose

This section explains the creation of a requisition and the population of predetermined fields in Resumix with position information in modern DCPDS. The requisition is a very basic recruitment file.

What Position Data Flows to RESUMIX

RESUMIX	Modern DCPDS Data Fields
Field Label	(Information will flow as clear text unless indicated
	otherwise)
Standard	
1. Dept Name	Office Symbol
2. Dept Number	PAS Code (code)
3. Location Description	RPA - Block B39, <i>Duty Station</i> (1 st 30 chars)
4. EEO type	Occupation Category Code (code)
5. Job Class	RPA - Block B32, Work Schedule (code)
6. Job Code	RPA - Block B17, Occ. Code
7. Job Title	<i>Title</i> (1 st 30 chars)
8. Req ID	RPA - Block A2, <i>Request Number</i>
	Note: Every RPA is assigned a Request Number.
	• The format is: YY/MMM/9-Character Identifier/6-Digit Sequential Number.
	♦ Example: 00AUGAFPC11029123456
	The system administrator establishes the process for the application to automatically populate the 9-character identifier in accordance with your Component requirements. Modern DCPDS automatically assigns the sequential number. This Request Number flows to the Resumix requisition and becomes the Requisition ID Number . It also becomes the job posting number for that requisition.
9. Date Needed	RPA - Block A4, <i>Proposed Effective Date</i> . If no date is entered, then default will be current date.
10. Description	KSAs in COREDOC

What Position Data Flows to RESUMIX (continued)


RESUMIX	Modern DCPDS Data Fields
Field Label	(Information will flow as clear text unless indicated otherwise)
Custom	
1. ACQ-Critical Position	Critical Position (code)
2. ACQ-Career Level	Career Level
3. ACQ-Program Type	Program Type (code)
4. ACQ-Special Assignment	Special Assignment (code)
5. Agency Group/Subelement Code	Agency Group (code)
6. Bargaining Unit Status	RPA - Block 37, Bargaining Unit Status (code)
7. Date Oblig Exp	Expiration Date
8. FLSA Category	RPA - Block 35, FLSA Category
9. Grade/Level (Numeric)	RPA - Block B18, Grade/Level
10. Language Required	Language Required (code)
11. Obligated Employee SSAN	Obligated Employee SSAN
12. Obligated Type	Obligated Type (code)
13. Org Struc ID	Organizational Structure ID
14. Part-Time Hours	RPA - Block B33, Part-Time Hours Per
15. Pay Basis	RPA - Block B21, <i>Pay Basis</i> (Code)
16. Pay Plan	RPA - Block B16, Pay Plan
17. Personnel Office ID	Personnel Office ID (code)
18. Position NTE Date	Date To
19. Position Occupied ID	RPA - Block 34, <i>Position Occupied</i> (code)
20. Position Sensitivity	Position Sensitivity (code)
21. Position Status	Status (code)
22. POSN-Career Program ID	Career Program (Air Force) (code)
23. POSN-Career Field ID	Career Field (Army) (code)

What Position Data Flows to RESUMIX (continued)

RESUMIX Field Label	Modern DCPDS Data Fields (Information will flow as clear text unless indicated otherwise)
Custom	
24. POSN-Competitive Area	Competitive Area
25. POSN-Number	(Position Description No)+(Sequence Number)
26. POSN-Drug Test Reqd	Drug Test (code)
27. Program Element	Program Element (code)
28. Servicing Agency	Servicing Agency (code)
29. Servicing Office ID	Servicing Office ID (code)
30. Target Grade/Level (Numeric)	Target Grade
31. UIC	Unit ID Code (code)
32. Vacancy Indicator	Vacancy Indicator

Creation of the Requisition ID Number

The RPA *Request Number* flows to Resumix and becomes the **Requisition ID Number**.



Creation of the Requisition ID Number (continued)


You can rename the requisition and job posting and the vacancy announcement created in Resumix, but you <u>cannot</u> overwrite the RPA *Request Number*.



Creating a Requisition


Step	Action
1	Access your <i>Civilian Inbox</i> from the Navigation List in modern DCPDS.
2	In the Notifications Summary Window, highlight the appropriate RPA.
3	Click < Respond >. The RPA displays.
4	Review the RPA and data associations to ensure that all required data has been recorded.
5	Scroll down and click <others></others> .
6	The Navigation Options Window displays: Navigation Options
7	Highlight Resumix-Requisition and click <ok></ok> .

Creating a Requisition (continued)




What COREDOC Data Flows To RESUMIX If a Core Document is attached to an RPA when the **Resumix-Requisition** process is engaged, the "Selected Staffing KSAs" identified in that Core Document flow to the Resumix requisition. It is recommended that you review the Core Document KSAs prior to flowing the data to the requisition.


Creating a Requisition with COREDOC Data



Creating a Requisition with COREDOC Data (continued)



Creating a Requisition with COREDOC Data (continued)



Create Applicant

Purpose

This section explains how Resumix creates an applicant in modern DCPDS. It also examines the population of predetermined fields in modern DCPDS with employee information in Resumix. This data sharing capability is intended to eliminate duplicate entries and facilitate the creation of applicant records in modern DCPDS. After an outside candidate accepts a job offer, you will initiate action in Resumix to create an applicant in modern DCPDS. An outside candidate is one who is <u>not</u> in the same regional database as the vacancy being filled.

What Applicant Data Flows from RESUMIX A variety of person-related data flows from the Resumix applicant record to the applicant record in modern DCPDS.

RESUMIX	Modern DCPDS Location
Field	(Information will flow as clear text unless indicated otherwise)
Standard	
1. Address - St, City,	Address Line 1
ST, Zip	Address Line 2
	Address Line 3
	LOCAL_ADDR_STREET
	City LOCAL_ADDR_CITY State LOCAL_ADDR_STATE Postal Code ADRS_MAIL-ZIP
2. Home Phone	Telephone number 1 - HOME_PHONE
3. First Name	First Name -NAME_PERS
4. Middle Name	Middle Name (1st char only) - NAME_PERS
5. Last Name	Last Name - NAME_PERS

Create Applicant, Continued

What Applicant Data Flows from RESUMIX (continued)

RESUMIX	Modern DCPDS Data Fields
Field	(Information will flow as clear text unless indicated otherwise)
Standard	
6. Trailer	Suffix
7. Sex (Required)	Sex (code)
8. Race	Race or National Origin (code)
9. Identification Number (Required)	Social Security
Custom	
1. Birth Date (Required)	Birth Date
2. Date Occ Cert Issued	Date Occupational Cert Issued
3. Physical Date	Physical Date
4. Physical exam or Test Type	Physical Exam or Test Type (code)
5. SCD Civilian	SCD Civilian
6. SCD Leave	SCD Leave
7. SCD RIF	SCD RIF
8. Security Clearance	Personnel Sec Clearance (code)
9. Social Security Number	Social Security
10. Type of Occ Cert	Type of Occupational Cert (code)
11. Veteran Preference (Numeric)	Veteran Preference (code)

Create Applicant, Continued

Creating an Applicant in Modern DCPDS The "Hire" process in Resumix triggers the automatic flow of data to modern DCPDS. To hire an applicant in Resumix, you change the applicant's **Tracking Action** and **Status**. In response, the applicant's data automatically flows from Resumix to create an applicant record in modern DCPDS.

Step	Action
1	Locate the candidate in Resumix.
2	Change the candidate's Tracking Action to "Decision."
3	Change the candidate's Status to "Accept."
	Note: There is an additional acceptance process in modern DCPDS. New applicants are not immediately available for placement against RPAs. They must first be "accepted" in modern DCPDS. However, you cannot accept applicant s until the day after their records are created. Further, they cannot be placed until the day after they are accepted. For information relating to accepting an applicant, see Module 4, Staffing Using the Modern DCPDS, Chapter 1, Building an Applicant.
	For internal candidates, those who are in the same regional database as the vacancy being filled, the user must change the candidate's Tracking Action to "Decision" and the Status to "Accept - Internal." This will prevent the creation of an applicant record in modern DCPDS. After this has been accomplished, the user must change the candidates status from "available" to "unavailable" and total openings form "1" to "0" in the Resumix application.

Refresh

Purpose

This section explains the process of the periodic and automatic updating of current employee information in Resumix from information contained in modern DCPDS.



Note: The employee must have a record in Resumix for the update to occur.

How Employee Data Flows to RESUMIX

Employee data flows from the modern DCPDS database to the applicant record in Resumix to populate standard and custom fields. Where data involved in the process is different between modern DCPDS and Resumix fields, the modern DCPDS data will update (refresh) the Resumix database, overwriting or deleting any previous Resumix data. In other words, modern DCPDS data is considered the data of record.

All data flow for this process is direct database-to-database transfers accomplished via Oracle SQL*Net database links between the Regional modern DCPDS and Regional Resumix databases.

What Employee Data Flows to RESUMIX

RESUMIX	Modern DCPDS Data Fields
Field	(Information will flow as clear text unless indicated otherwise)
Standard	
1. Disability	Handicap Code (code)
2. Sex	Sex (code)
3. Race	Race National Origin (code)
Custom	
1. Appointment Type	Appointment Type (code)
2. Appraisal Type	Appraisal Type (code)
3. Birth Date	Birth Date
4. PERM-Agency	Agency Group (code)
Group	
5. PERM-PP	Current Permanent PP

Refresh, Continued

What Employee Data Flows to RESUMIX (continued)

RESUMIX	Modern DCPDS Data Fields
Field	(Information will flow as clear text unless indicated
	otherwise)
Custom	
6. PERM-PP	Current Permanent PP
7. PERM-SER	Current Permanent SER
8. PERM-GR	Current Permanent GR
9. PERM-Office Symbol	Current Permanent Office Symbol
10. PERM-Org Struc ID	Current Permanent Organization Structure ID
11. PERM-PAS	Current Permanent PAS Code (code)
12. PERM-UIC	Current Permanent Authorized Unit ID Code
	(code)
13. PERM-Comp LVL	Current Permanent Competitive Level
14. Rating of Record	Rating of Record (code)
15. SCD Civilian	SCD Civilian
16. SCD Leave	SCD Leave
17. SCD RIF	SCD RIF
18. Education Level	Education Level, highest level (code)
19. Spec Placemt Cons	Spcl Plcmt Consid Reason (code)
Reas	All values
20. Citizenship	Citizenship (code)

THIS PAGE LEFT INTENTIONALLY BLANK